























NOTES:

1. PLANS SHALL BE OF A QUALITY TO ALLOW MICROFILMING. (i.e. LINE WEIGHT AND LETTER SIZE SHALL BE EASILY READ WHEN REDUCED BY 50%)
2. EXISTING IMPROVEMENTS SUCH AS CURB, GUTTER, SIDEWALK, DRIVEWAYS, ETC. SHALL BE SHOWN BY DASHED LINES.
3. ALL PROPOSED CONSTRUCTION NOTES SHALL BE BOXED.

	Right of Way Line		Proposed Elevation
	Property Line		Wire Fence
	Center or Monument Line		Masonry Fence
	Easement Line		Wood Fence
	District Boundary or City Limits		Barricade
	Line No. Sheet No.		Traffic Sign & Delineator
	Type of Pavement Replacement No. of Square Yards		Commercial Sign
	Compaction Class		Street Sign
	Graphic Scale		Mail Box
	Bench Mark (Plan View)		Street Light
	Existing Elevation		Telephone or Power Pole








DETAIL NO.
G-3110-1















CITY OF GOODYEAR
STANDARD DETAIL

APPROVED BY:
Goodyear Standards and
Policies Committee 7/97

STANDARD SYMBOLS TO BE USED ON
CITY IMPROVEMENT PLANS

DETAIL NO.
G-3110-1

 Guy Anchor
 Traffic Signal Light
(Direction Light Faces)
— TEL. CA.— Telephone Cable
— TEL COND.— or Conduit
— 2" G — Gas Line & Size
— 2" H.P.G.— High Pressure Gas Line
— T.V.— Television Cable
— T.S. COND.— Traffic Signal Conduit
 Gas Meter
 Palm Tree
(Show Height)
 Tree (Kind & Trunk Dia.)
 Evergreen Tree
(Kind & Trunk Dia.)
 Hedge

 New A/C Pavement—Shaded
 Existing A/C Pavement
 Concrete Underlay
 Concrete Pavement
 Concrete Sidewalk
 Vertical Curb & Gutter
 Roll Curb & Gutter
 Single Vertical Curb
 Concrete Safety Curb
 Concrete Valley Gutter
(w/Direction of Flow)
 Edge of Existing Pavement
 Edge of Proposed Pavement
w/Thickened Edge
 Wing Type Driveway
 Return Type Driveway



Concrete Apron



Survey Monument (Brass Cap,
Stone, Etc. in Hand Hole)



Survey Monument
(Brass Cap on Surface)



Survey Monument
(Rebar or Pipe)




Tee




Cross




Bend




Water Line & Size (18" or
Larger at 20 Scale)



Sewer Line & Size (18" or
Larger at 20 Scale)




Water Line & Size (15" or
Larger at 20 Scale)



Sewer Line & Size (15" or
Smaller at 20 Scale)




Water or Gas Valve



Sewer Service



Trapping Sleeve & Valve



Manhole



Fire Hydrant




Drop Sewer Connection




Thrust Block



Sewer Cleanout



Meter Box & Service



Reducer

DETAIL NO.
G-3110-3

CITY OF GOODYEAR
STANDARD DETAIL

APPROVED BY:
Goodyear Standards and
Policies Committee 7/97

STANDARD SYMBOLS DTO BE USED ON
CITY IMPROVEMENT PLANS

DETAIL NO.
G-3110-3

	Storm Drain & Size (18" or Larger at 20 Scale)		Irrigation Standpipe
	Storm Drain & Size (15" or Smaller at 20 Scale)		Alfalfa Valve
	Gutter Inlet		
	Curb Inlet		
	Irrigation Line & Size (18" or Larger at 20 Scale)		
	Irrigation Line & Size (15" or Smaller at 20 Scale)		
	Concrete Lined Ditch		
	Dirt Ditch		
	Center of Stream w/Direction of Flow		
	Top of Bank		
	Toe of Slope		
	Irrigation Berm		
	Irrigation Junction Box		
	Wing Type Headwall		
	Plan Headwall		